PATENT COOPERATION TREATY

PCT

REC'D	2	2	JUN	2006
WIPO				PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)-

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 47478 FOR FURTHE		FOR FURTHER A	CTION	See Form PCT/IPEA/416		
International application No. International filing date PCT/IT2005/000051 04.02.2005		(day/month/year)	Priority date (day/month/year) 09.02.2004			
	International Patent Classification (IPC) or national classification and IPC INV. B65H19/22 B65H19/30					
	Applicant FABIO PERINI S.P.A. et al.					
1. 7	This report is the Authority under a	e international pre Article 35 and trai	liminary examination rensmitted to the applicar	eport, established by this at according to Article 36	International Preliminary:Examining	
2. 7	This REPORT consists of a total of 7 sheets, including this cover sheet.					
3. 7	This report is also accompanied by ANNEXES, comprising:					
e e	a. $oxtimes$ sent to th	e applicant and to	o the International Bure	eau) a total of 4 sheets,	as follows:	
	and/c	ts of the descripti or sheets containi inistrative Instruct	ng rectifications authori	ngs which have been an zed by this Authority (se	nended and are the basis of this report e Rule 70.16 and Section 607 of the	
	beyo	ts which supersed nd the disclosure Demental Box.	de earlier sheets, but w in the international app	hich this Authority consideration as filed, as indic	ders contain an amendment that goes ated in item 4 of Box No. I and the	
b	sequence	e listing and/or tab	les related thereto, in e	ndicate type and number electronic form only, as in the Administrative Instru	of electronic carrier(s)) , containing a ndicated in the Supplemental Box octions).	
4. T	Γhis report conta	ains indications re	lating to the following it	ems:		
Σ	☑ Box No. I	Basis of the rep	ort			
	☐ Box No. II	Priority				
Σ	☑ Box No. III	Non-establishm	ent of opinion with rega	ard to novelty, inventive s	step and industrial applicability	
	☐ Box No. IV Lack of unity of invention		•			
_	☑ Box No. V	applicability; cita	ations and explanations	 with regard to novelty, supporting such statem 	inventive step or industrial ent	
	☐ Box No. VI	Certain docume				
	Box No. VII		in the international app			
L	□ Box No. VIII	Certain observa	tions on the internation	al application		
Date of	submission of the	demand		Date of completion of this	report	
31.08.2005				21.06.2006		
Name and mailing address of the international preliminary examining authority:			al	Authorized officer	chas Palanten.	
<u>g</u>	D-80298 M Tel. +49 89	Patent Office	56 epmu d	Fachin, F Telephone No. +49 89 23	99-2057	

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/IT2005/000051

	Bo	x No. I Basis of th	e report	
1.	Wit	th regard to the lang	uage, this report is based on	
	\boxtimes	the international ap	plication in the language in which it w	vas filed
		of a translation furn international sea publication of the	international application into , which i ished for the purposes of: arch (under Rules 12.3(a) and 23.1(b e international application (under Rul liminary examination (under Rules 5)) e 12.4(a))
 With regard to the elements* of the international application, this report is based on (replacem have been furnished to the receiving Office in response to an invitation under Article 14 are ref report as "originally filed" and are not annexed to this report): 				
				·
	Des	scription, Pages		ť
	1-19	9	as originally filed	÷
	Clai	ims, Numbers		£, ;
	1-28		filed with telefax on 08.03.200	6
	Dra	wings, Sheets		
	1/7-	-7/7	as originally filed	;
		a sequence listing a	ınd/or any related table(s) - see Supp	olemental Box Relating to Sequence Listing
3.	The amendments have resulted in the cancellation of: ☐ the description, pages ☐ the claims, Nos. ☐ the drawings, sheets/figs ☐ the sequence listing (specify): ☐ any table(s) related to sequence listing (specify):			
4.	⊠ had Sup	d not been made, sind pplemental Box (Rule □ the description, □ the claims, Nos. □ the drawings, sh □ the sequence lis	ce they have been considered to go be 70.2(c)). cages 12 eets/figs	endments annexed to this report and listed below beyond the disclosure as filed, as indicated in the
	*	If item 4 appli	es, some or all of these sh	neets may be marked "superseded."

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/IT2005/000051

		x No. III Non-establishment of opinion with regard to novelty, inventive step and industrial olicability			
1.	The obv	e questions whether the claimed invention appears to be novel, to involve an inventive step (to be non- vious), or to be industrially applicable have not been examined in respect of:			
		the entire international application,			
	\boxtimes	claims Nos. 12			
	bec	cause:			
		the said international application, or the said claims Nos. relate to the following subject matter which does not require an international preliminary examination (specify):			
		the description, claims or drawings (indicate particular elements below) or said claims Nos. are so unclear that no meaningful opinion could be formed (specify):			
		the claims, or said claims Nos. 12 are so inadequately supported by the description that no meaningful opinion could be formed (specify).			
		see separate sheet			
		no international search report has been established for the said claims Nos.			
		a meaningful opinion could not be formed without the sequence listing; the applicant did not, within the prescribed time limit:			
		☐ furnish a sequence listing on paper complying with the standard provided for in Annex C of the Administrative Instructions, and such listing was not available to the International Preliminary Examining Authority in a form and manner acceptable to it.			
		☐ furnish a sequence listing in electronic form complying with the standard provided for in Annex C of the Administrative Instructions, and such listing was not available to the International Preliminary Examining Authority in a form and manner acceptable to it.			
		□ pay the required late furnishing fee for the furnishing of a sequence listing in response to an invitation under Rules 13 <i>ter</i> .1(a) or (b) and 13 <i>ter</i> .2.			
		a meaningful opinion could not be formed without the tables related to the sequence listings; the applicant did not, within the prescribed time limit, furnish such tables in electronic form complying with the technical requirements provided for in Annex C-bis of the Administrative Instructions, and such tables were not available to the International Preliminary Examining Authority in a form and manner acceptable to it.			
		the tables related to the nucleotide and/or amino acid sequence listing, if in electronic form only, do not comply with the technical requirements provided for in Annex C-bis of the Administrative Instructions.			
		See separate sheet for further details			

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-11,13-28

No:

Claims

Inventive step (IS)

Yes: Claims

1-11,13-28

No:

Claims

Industrial applicability (IA)

Yes: Claims

1-11,13-28

Claims No:

2. Citations and explanations (Rule 70.7):

see separate sheet

Box No. VII Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

see separate sheet

1. Reference is made to the following documents:

D1: US-B1-6 565 033 D2: WO 01/72620 A D3: US-A-5 383 622 D4: WO 94/21545 A

SECTION V

2. The subject-matter of the newly filed independent claims 1 (machine) and 16 (method) satisfies the criterion set forth in Article 33(2) PCT (novelty) because no one of the cited documents anticipated the features related to the electrostatic device and its positioning in the machine (along the core insertion channel).

Therefore also the dependent claims 2 to 11 and 17 to 28 fulfil the criterion set forth in the cited Article.

3. Moreover the subject-matter of the newly filed independent claims 1 (machine) and 16 (method) satisfies the criterion set forth in Article 33(3) PCT (inventive step).
D4, which is considered to represent the closest state of the art, because it anticipates a rewinding machine having an overall structure close to that of claims 1 and 16, does not mention the use of electrostatic devices for the application of the initial free edge to the winding core at the beginning of each winding cycle.

The use and the positioning of the electrostatic source in the rewinding machine (and consequently in the rewinding method) represents the solution of the present application to the problem of providing an efficient system for the application of the initial free edge to the winding core at the beginning of each winding cycle.

D1 describes a rewinding machine similar to that of the present application but the machine of D1 differs, i.a., in that the insertion channel is not formed by a series of parallel spaced apart, flexible members entrained around at least two rollers.

It is true that D1 very generally suggests the use of electrostatic charges but this without indicating the positioning in the machine.

A person skilled in the art with such generic information would not obviously include the idea of the electrostatic charges in a machine, that of D4, having a different overall arrangement and moreover would not position the electrostatic source where it has been suggested by the independent claims of the present application.

The other documents on record are less relevant than D1 and D4; therefore their combination with D4 would still more unlikely lead a person skilled in art to the claimed invention.

Since the subject-matter of the newly filed independent claims 1 (machine) and 16 (method) satisfies the criterion set forth in Article 33(3) PCT also the subject matter of the dependent claims 2 to 11 and 17 to 28 fulfil the criterion set forth in the cited Article.

4. Finally, since it appears that the claimed invention can be made or used in a technological sense in industry, it is considered to show industrial applicability within the meaning of Article 33(4) PCT.

SECTION VII

- 5. The requirements of Rule 5.1(a)(ii) PCT are not met because document D4 is not identified in the description and the relevant background art disclosed therein is not briefly discussed.
- 6. The requirements of Rule 6.2(b) PCT are not met because reference signs in parentheses are not inserted in the claims (both the preamble and characterizing portion) to increase their intelligibility.
- 7. The requirements of Article 6 PCT are not met because the content of the description from page 4, line 5 to page 5, line 11 is not in conformity with the new claims on file.
- 8. In the method claim 16 the word "member" has to be introduced before the wording "including a series of ...).

Section III

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/IT2005/000051

9. The new claim 12 contains subject-matter which goes beyond that of the application documents as originally filed (Rule 70 c) PCT). Contrary to the representative's opinion, there is no explicit disclosure in the application documents as originally filed of the additional features of claim 12 according their full formulation. Therefore no comments about Art. 33(2) and (3) PCT are contained here about said claim.

5

10

15

20

Amended Claims

- 1. A rewinding machine comprising: a path for feeding the web material towards a winding system; an interruption member to interrupt the web material at the end of winding of a log; a core insertion channel, defined by a stationary rolling surface and a movable member including a series of parallel spaced apart flexible members entrained around at least two rollers; a core feeder to insert winding cores in succession in said channel; an electrostatic device to electrostatically charge the winding cores and/or the web material in order to produce, due to the electrostatic charges, reciprocal adhesion of the core and the initial free edge of the web material obtained by interruption of the material at the end of winding of each log, characterized in that said electrostatic device includes at least one charge bar connected to a voltage source, said charge bar being positioned along said channel.
- 2. Rewinding machine according to claim 1, characterized in that said at least one charge bar is controlled and arranged along said channel in a position such that electrostatic charges are applied by said bar to said web material and/or to said core after the core has come into contact with the web material.
- 3. Rewinding machine as claimed in claim 1, wherein said movable member and said rolling surface are positioned so that when a core is inserted in said channel, the web material is between said core and said movable member and in contact with said movable member.
- 4. Rewinding machine as claimed in claim 1 or 2 or 3, wherein said movable member is a core feed member.
- 5. Rewinding machine as claimed in one or more of the preceding claims, wherein one of said at least two rollers around which said belts are entrained is a winding roller forming part of the winding system and around which the web material is entrained, said winding system being a peripheral winding system.
- 30 6. Rewinding machine as claimed in one or more of the preceding claims, wherein the interruption member is combined with said flexible members and positioned with respect to said flexible members on the opposite side of the channel, to act on the web material through said flexible members.

5

15

20

30

08-03-2006

- 7. Rewinding machine as claimed in-one or more of the preceding claims, wherein said bar is positioned to electrostatically charge said cores.
- 8. Rewinding machine as claimed in one or more of the preceding claims, comprising a bar positioned to electrostatically charge said web material.
- 9. Rewinding machine as claimed in one or more of the preceding claims, wherein one or more charge bars of the electrostatic device are housed between said rollers around which said flexible members are entrained, within a closed path defined by said flexible members.
- 10 10. Rewinding machine according to one or more of the preceding claims, wherein said interruption member is arranged between said at least two rollers around which said flexible members are entrained, and act on said web material through said flexible member.
 - 11. Rewinding machine according to claim 10, wherein said at least one charge bar is arranged on a side of said channel opposite said interruption member.
 - 12. Rewinding machine according to one or more of the preceding claims, wherein said stationary rolling surface is formed by a comb-like structure, a charge bar of said electrostatic device being arranged such as to act through said comb-like structure.
 - 13. Rewinding machine as claimed in one or more of the preceding claims, comprising a gluing device for applying glue to the final free edge of the logs.
- 14. Rewinding machine as claimed in claim 13, wherein said gluing device comprises a glue dispenser to apply glue on said core, which transfers said glue to the web material.
 - 15. A method for the production of logs of wound web material, comprising the following steps: feeding the web material to a winding system; winding a first log of web material around a first winding core; interrupting the web material at the end of winding of said first log, forming a final free edge of said first log and a initial free edge for winding of a second log; adhering said initial free edge to a second core by application of electrostatic charges which produce reciprocal attraction between core and free edge; characterized in that said electrostatic charges are applied after the core has come into contact

with the web material.

5

10

15

20

25

- 16. A method for the production of logs of wound web material, comprising the following phases: feeding the web material to a winding system; winding a first log of web material around a first winding core; interrupting the web material at the end of winding of said first log, forming a final free edge of said first log and an initial free edge for winding of a second log; adhering the initial free edge to a second core by application of electrostatic charges which produce reciprocal attraction between core and free edge; wherein said cores are inserted in an insertion channel defined by a stationary rolling surface and a movable including a series of parallel spaced apart flexible members entrained around at least two rollers; characterized in that the electrostatic charges are applied along said channel.
- 17. Method as claimed in claim 15 or 16, wherein the core is electrostatically charged.
- 18. Method as claimed in claim 15 or 16, wherein said web material is electrostatically charged.
- 19. Method as claimed in one or more of the claims 15 to 18, wherein the web material is interrupted after the core has been brought into contact with the web material.
- 20. Method as claimed in one or more of the claims 15 to 19, wherein said web material is interrupted immediately after application of the electrostatic charge.
- 21. Method as claimed in one or more of the claims 15 to 20, wherein the electrostatic charges are applied when the core passes along said channel.
- 22. Method as claimed in one or more of the claims 15 to 21, wherein said winding system is a peripheral winding system comprising a winding cradle.
- 23. Method as claimed in claim 22, wherein said flexible members 30 are entrained around as winding roller forming part of said winding cradle.
 - 24. Method as claimed in one or more of the claims 15 to 23, wherein glue is applied to the final free edge of said log.
 - 25. Method as claimed in claim 24, characterized in that said glue is applied to said second core and transferred via said core to the web material.

- 23 -

- 26. Method according to one or more of claims 16 to 25, including the step of arranging a web interruption member between said at least two rollers, said interruption member acting on said web material through said flexible members entrained around said at least two rollers.
- 27. Method according to claim 26, including the step of arranging an electrostatic charge bar along said channel opposite said interruption member.
- 28. Method according to claim 26 or 27, including the step of arranging an electrostatic charge bar along said channel and between said first and second roller within the closed path defined by said flexible members.

10

5